


<div><div><div>REAR PROPERTY LINE</div><div><div><div><div>EXISTING BUILDING</div><div>PROPOSED AREA</div></div><div><div>ACCESSIBLE PARKING STALLS</div></div><div><div>FRONT PROPERTY LINE</div><div>STREET NAME</div></div></div><div><div>SIDE PROPERTY LINE</div><div>SIDE PROPERTY LINE</div></div><div><div>North Arrow</div></div></div><div><div>NOTE</div><div><div>1. INDICATE PROPERTY LINES, STREET NAMES, LOCATION OF THE BUILDING, ALL PARKING, INCLUDING ALL ACCESSIBLE PARKING STALLS, AND PROJECT NORTH ARROW SYMBOL.</div><div>2. INDICATE THE SCOPE OF WORK AND PROPOSED AREA.</div><div>3. INDICATE TENANT SPACE ADDRESS.</div><div>4. INDICATE THE NAME, ADDRESS AND TELEPHONE NUMBER OF THE PERSON WHO PREPARED THE PLANS.</div><div>5. INDICATE PROJECT INFORMATION:</div><div><div>* TYPE OF CONSTRUCTION</div><div>* TYPE OF OCCUPANCY</div><div>* FIRE SPRINKLERS (YES / NO)</div><div>* SQUARE FOOTAGE OF BUILDING</div><div>* SQUARE FOOTAGE OF PROPOSED AREA</div><div>* NUMBER OF STORIES</div></div></div><div><div>**THIS CITY STANDARD GUIDELINE IS ONLY APPLICABLE FOR USABLE FLOOR AREAS OF 2000 SF OR LESS**</div></div></div></div></div>	
<div><div><div>NOTE</div><div><div>1. INDICATE LAYOUT OF THE STORAGE RACKS ON THE FLOOR PLAN TO INDICATE THE LOCATIONS AND ARRANGEMENT OF RACKS.</div><div>2. INDICATE THE MAX. LOAD ON EACH SHELF AND ITS CONTENT. TOTAL WEIGHT SHALL NOT EXCEED 2000 LBS. PER SHELF.</div><div>3. INDICATE WIDTH, DEPTH, HEIGHT AND DISTANCE BETWEEN EACH LEVEL FOR EACH TYPE OF RACK.</div><div>4. ALL PROPOSED RACKS SHALL BE INSTALLED SLAB-ON-GRADE ONLY.</div><div>5. INDICATE DETAILS OF THE (E) FLOOR PLAN TO SHOW ROOMS AND THEIR USE, ROOM DIMENSIONS, LOCATION OF DOORS IN ROOMS, CORRIDORS, EQUIPMENTS, RESTROOMS, EXIT DOORS, ETC.</div><div>6. INDICATE ILLUMINATED EXIT SIGNS, TACTILE EXIT SIGNS, COMMON PATH OF EGRESS TRAVEL, MAX. EXIT ACCESS TRAVEL DISTANCE.</div></div><div><div>* 44" MIN. ON PUSH SIDE</div><div>48" MIN. ON PUSH SIDE WITH 12" MIN. CLEARANCE AT THE LATCH SIDE OF DOORS WHEN THE DOOR HAS BOTH A CLOSER AND A LATCH.</div><div>60" MIN. ON PULL SIDE WITH 18" / 24" AT DOOR JAMB.</div><div>** 36" MIN. AISLE SERVING ONE SIDE.</div><div>^ 44" MIN. AISLE SERVING BOTH SIDES.</div></div><div><div>LEGEND</div><div><div>TACTILE EXIT SIGN:</div><div><div>EXIT ROUTE" AT EXIT ACCESS DOOR</div><div>"EXIT" AT EXTERIOR EXIT DOOR</div></div><div><div>ACCESSIBLE ENTRANCE SIGN</div><div>ILLUMINATED EXIT SIGN (WITH DIRECTIONAL ARROW AS REQ'D)</div><div>PATH OF TRAVEL</div><div>STORAGE RACK</div><div>COMMON PATH OF TRAVEL:</div><div>(POINT 'A' TO POINT 'B') = ?</div><div>MAX. EXIT ACCESS TRAVEL DISTANCE:</div><div>(POINT 'A' TO POINT 'C' OR POINT 'A' TO POINT 'D') = ?</div></div><div><div>Diagram of storage racks, corridors, and rooms with dimensions and labels like (E) CORRIDOR, (E) STORAGE AREA, (N) STORAGE RACKS, (E) OFFICE, (E) CORRIDOR, EXTERIOR EXIT DOOR, EXIT ACCESS DOOR.</div><div>North Arrow</div></div></div></div></div></div>	<div><div>CITY OF HUNTINGTON BEACH -- DEPARTMENT OF BUILDING & SAFETY</div><div>CITY STANDARD PLAN TYPICAL DETAIL 8'HIGH MAX STORAGE RACKS (SAMPLE)</div></div> <div><div>PLAN NO. 8</div><div>PAGE 1 OF 3 REVISED: 08/23/11</div></div>

PLEASE USE BLANK AREA FOR YOUR
PROPOSED PROJECT



EXISTING & PROPOSED FLOOR PLAN
N.T.S.

PROJECT DATA

PROPERTY OWNER'S NAME _____

PROJECT ADDRESS _____

HUNTINGTON BEACH, CA

TYPE OF CONST _____

OCCUPANCY GROUP _____

FIRE SPRINKLER (CIRCLE) _____

YES / NO

SQ FT OF BUILDING _____

SQ FT OF PROPOSED AREA _____

NUMBER OF STORIES _____



